

494/994 CALF CHOICE 18 DX-1.5

MEDICATED

FOR BEEF AND DAIRY CALVES

For the prevention of coccidiosis caused by Eimeria bovis and Eimeria zuernii.

ACTIVE DRUG INGREDIENT

GUARANTEED ANALYSIS

Crude Protein	(Min)	18.00 %	Phosphorus	(Min)	0.45 %
Crude Fat	(Min)	3.00 %	Salt	(Min)	0.30 %
Crude Fiber	(Max)	11.00 %	Salt	(Max)	0.70 %
Calcium	(Min)	0.40 %	Potassium	(Min)	1.15 %
Calcium	(Max)	0.80 %	Vitamin A	(Min)	8,000 IU/LB

INGREDIENTS

Grain Products, Soybean Meal, Roughage Products (20%), Molasses Products, Forage Products, Yeast Culture, Soybean Oil, Monocalcium Phosphate, Ground Limestone, Salt, Selenium Yeast, Cobalt Carbonate, Copper Chloride, Copper Sulfate, Ethylenediamine Dihydriodide, Manganese Sulfate, Manganous Oxide, Zinc Sulfate, Zinc Oxide, Mineral Oil, Calcium Carbonate, Vitamin E Supplement, Vitamin A Supplement and Vitamin D3 Supplement.

FEEDING DIRECTIONS

Feed PRODUCERS Calf Choice 18 DX at the rate of 1.5 lbs. per 100 lbs. of bodyweight to provide 22.7 mg decoquinate per 100 lbs. of bodyweight (0.5 mg/kg) daily as in table below:

Call Chains 40 DV

	Call Choice to DA
Calf Weight, lbs.	Lbs/Head/Day
100	1.50
150	2.25
200	3.00
300	4.50
400	6.00

Feed for at least 28 days during periods of coccidiosis or when it is likely to be a hazard. Coccidiostats are not indicated for use in adult animals due to continuous previous exposure.

WARNING: Do not feed to cows producing milk for food. Feed for at least 28 days during periods of coccidiosis exposure or when experience indicates that coccidiosis is likely to be a hazard. Feed type C feed or milk replacer to provide 22.7 mg per 100 lb. bodyweight (0.5 mg/kg) per day.

Manufactured by PRODUCERS COOPERATIVE ASSOCIATION Bryan, Texas 77806

Net Weight 50 lbs. (22.68 kg) or Bulk

4215 79 7/10/2020

