

Proudly owned by farmers and ranchers since 1943.



A Gift for Mom

Our gift department and Lawn & Garden Center has a large selection of beautiful plants, farmhouse decor, and bird feeders to choose from. Stop by the Producers Agricultural Center today and pick out the perfect gift for

Control Rezilon requires a split-application for

Rezilon for Grassbur

grassbur control. The first application should have been applied in mid-February at 3 oz/acre. The second application should go out within the next 10 to 20 days. For hayfields, ideally after your first hay cutting. This second application will push the residual from the first application further into the season. If emerged grassburs are noticed, a 1 ounce addition of Pastora to the tank of Rezilon will help knock down those tender burrs. Reminders:



as, oats, wheat or ryegrass.

flea control needs.

• Do NOT exceed 6 oz/acre of Rezilon in a 12-month period with sequential applications.

Rezilon CANNOT be used if you plan to overseed in the fall with small grains; such

- Grassburs require a split application. 3 oz/acre by mid-February and 3 oz/acre by the end of May.
- When Rezilon is applied at a rate greater than 3 oz/acre, hay may not be harvested until 40 days after the application.

management situations.

Foxtails. Call Producers for any questions or tailored options for specific weed &


Key weeds controlled: Grassburs, Crabgrass, Ryegrass, Goosegrass and Annual

979-778-6000



<u>Click Here</u> to watch a video on preventing & treating fleas. For more information on flea control call Producers Pet Supply Manager, Kelsey

Blaha. (979)-778-6000














Share this email:





This email was sent to .





1800 N. Texas Ave. Bryan, TX | 77803 US

To continue receiving our emails, add us to your address book.

emma

Follow as