EPA Reg. No. 89459-6-602

Phosphorus (P), (Min)0.50%

Selenium (Se), (Min)......1.19 ppm

Selenium (Se), (Max).....1.43 ppm

0.85%

Sodium (Na), (Max)

FPA Est No 602-TX-5

Lot Number:

SUPPLEMENT FEED FOR MATURE HORSES

A nutritional supplement for horses containing diflubenzuron for continuous feeding during the fly season. Prevents the emergence of house flies and stable flies from manure of treated horses. Contains diflubenzuron a chitin synthesis inhibitor. Breaks the house and stable fly life cycle in horses. Prevents formation of chitin in fly larvae's exoskeletons when they molt. Can be used as part of a pest management program for horses.

ACTIVE INGREDIENT:

Diflubenzuron (CAS #35367-38-5)0.01%
OTHER INGREDIENTS	
TOTAL	100.00%
Contains 45.4 milligrams of Diflut	enzuron per poun

GUARANTEED ANALYSIS

Crude Protein (Min)14.00%	
Crude Fat (Min)	
Crude Fiber (Max)	
Acid Detergent Fiber (ADF),(Max)6.00%	
Neutral Detergent Fiber (NDF),(Max)8.00%	
Ash (Max)15.00%	
Calcium (Ca), (Min)1.75%	
Calcium (Ca), (Max)2.25%	

FEED INGREDIENTS: Cane Molasses, Dehulled Soybean Meal, Sun Cured Alfalfa, Vegetable Oil, Rice Bran, Seaweed-Derived Calcium, Heat Stabilized Rice Bran, Salt, Ground Corn, Magnesium Oxide, DL-Methionine, L-Lysine, Raxseed, Monocalcium Phosphate, Dicalcium Phosphate, Vitamin E Supplement, Calcium Carbonate, Vitamin D, Supplement, Sodium Steinte, Choline Chiofide, Into Note, Vitamin A Supplement, Citric Acid (a Preservative), Zinc Oxide, Ferrous Carbonate, L-Lysine Monohydrochloride, Copper Sulfate, Manganous Oxide, Tocopherols, Calcium Iodate, Rosemary Extract, Lestitin, Cobatt Carbonate, Niacin Supplement, Calcium Pantoherate, Vitamin B, Supplement, Biofarán-S-Phosphate.

KEEP OUT OF REACH OF CHILDREN CAUTION

MANUFACTURED BY: Purina Animal Nutrition LLC, 4001 Lexington Avenue North, Arden Hills, MN 55126 FEED QUESTIONS? PLEASE CALL 1-800-227-8941

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

FEEDING AND MANAGEMENT INSTRUCTIONS: When used as directed, this tub will provide sufficient diflubenzuron to prevent the fly emergence from the manure of treated horses. Existing adult files will not be affected. Start feeding early in the spring before files begin to appear and continue feeding throughout the summer and into the fall until cold weather restricts fly activity. Allow free choice to horses. Horses should consume an average of 2.4 ounces of this tub per 100 lbs of animal body weight per day, which is equivalent to 24 ounces per day for a 1,000 pound horse. To Open: Remove top protective sheet and score several times with a knife to encourage initial consumption.

- 1. Assure horses are not starved for nutrients prior to feeding this tub.
- This product contains added copper. Do not feed to sheep and other species that have a low tolerance to supplemental copper. Do not use in association with feeds containing supplemental selenium.
- 3. Offer horses 1 tub for every 5 to 15 head.
- 4. Remove all other self-limiting nutritional supplements.
- 5. Locate this tub where horses congregate (watering, loafing, shade areas).
- 6. Replenish this tub on a regular basis as needed.
- If intake of this tub is below 2.4 ounces per 100 pounds animal body weight per day for horses, increase the number of feeding locations and/or change locations to areas more frequented by horses.
- If intake of this tub is above 2.4 ounces per 100 pounds animal body weight per day for horses, reduce the number of feeding locations and/or change locations to areas less frequented by horses.
- Introduction of this product after adult fly infestation is established may require treatment of horses with supplemental sprays to reduce the adult fly population coming from outside sources.

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Storage: Store in a cool, dry place. Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility. Container Handling: Nornefillable container: Do not reuse or refill this container. Offer for recycling if available, or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities.

ClariFly® is a registered trademark for Wellmark International.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

If in eyes:

5 minutes.

treatment advice.

per day, 7 days per week.

FIRST AID

If swallowed:

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to by a poison control center or doctor.
- Do not give anything to an unconscious person.

If on skin:

- 1. Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes
- Call a poison control center or doctor for treatment orbits.
 - treatment advice.

ENVIRONMENTAL HAZARDS: Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

This product was made in a feed manufacturing facility that does not handle or store products containing animal proteins prohibited in ruminant feed. This product contains supplemental selenium. Feeding added selenium at levels in excess of 0.3 ppm in the total diet is prohibited.

NET WT. 55 lb (24.94 kg)





1. Hold eye open and rinse slowly and gently

contact lenses, if present, after the first

2. Call a poison control center or doctor for

product container or label with you when calling

a poison control center or doctor, or going for

treatment. For additional information on this

pesticide product (including health concerns,

medical emergencies, or pesticide incidents)

Control Center at 1-800-222-1222 24 hours

OUTLAST

you may also contact the National Poison

EMERGENCY ASSISTANCE: Have the

with water for 15-20 minutes. Remove