

Product Number – 3003350/3005332

Formula Number – 616Q

# Purina® Layena® + OMEGA



**Specie:** Flock

**Type of Feed:** Complete

**Form of Feed:** Pellet

**General Description:** Optimum nutrition for healthy birds and nutritious eggs. A 16%-protein high-calcium ration fortified with Omega-3 rich flaxseed oil formulated for top-producing laying hens once they reach 18 weeks of age.

- Vegetarian formula without added antibiotics or hormones
- Enhanced vitamin E for healthy birds & wholesome eggs
- Complete feed - no oyster shell or grit required
- 250mg Omega-3 per egg\*

\*When fed a diet of Layena® Plus Omega-3 exclusively for at least 3 weeks. Based on a large egg (56g). Results may vary with factors such as total diet and hen health. Compared to a typical egg that contains 65mg Omega-3 fatty acids.

**PURINA®**  
**LAYENA® + OMEGA**  
 COMPLETE FEED FOR LAYING CHICKENS  
 CAUTION: USE ONLY AS DIRECTED

**GUARANTEED ANALYSIS**

Crude Protein, (Min).....	16.00%
Lysine, (Min).....	0.70%
Methionine, (Min).....	0.30%
Crude Fat, (Min).....	3.50%
Crude Fiber, (Max).....	7.00%
Calcium (Ca), (Min).....	3.50%
Calcium (Ca), (Max).....	4.50%
Phosphorus (P), (Min).....	0.45%
Salt (NaCl), (Min).....	0.20%
Salt (NaCl), (Max).....	0.70%
Omega-3 Fatty Acids, (Min).....	1.00%
Manganese (Mn), (Min).....	100.00 ppm
Vitamin A, (Min).....	3,000 IU/LB
Vitamin D3, (Min).....	1,000 ICU/LB
Vitamin E, (Min).....	70 IU/LB
Total Microorganisms, (Min).....	8400000 CFU/LB

**FEEDING DIRECTIONS:**

Feed continuously as the sole ration after 18 weeks of age.  
Keep feed before birds at all times

**LIMITATIONS FOR USE:**

- Do not feed to birds less than 18 weeks of age.
- Do not feed to male birds of any age.

**\*INGREDIENTS**

Grain Products, Processed Grain By-Products, Plant Protein Products, Calcium Carbonate, Flaxseed, Molasses Products, Oyster Shell, Lignin Sulfonate, Salt, Vitamin E Supplement, Vitamin D3 Supplement, Dicalcium Phosphate, Monocalcium Phosphate, DL-Methionine, Pyridoxine Hydrochloride, Preserved with Mixed Tocopherols (Form of Vitamin E), Sodium Selenite, Tagetes (Aztec Marigold) Extract (Color), Natural Flavor, Choline Chloride, Citric Acid, Insulin, Manganous Oxide, Riboflavin Supplement, Calcium Pantothenate, Menadione Sodium Bisulfite Complex (source of Vitamin K), Vitamin B-12 Supplement, Niacin Supplement, Dried Enterococcus faecium Fermentation Product, Vitamin A Supplement, Dried Pediococcus acidilactici Fermentation Product, Folic Acid, Dried Bifidobacterium animalis Fermentation product, Dried Lactobacillus reuteri Fermentation Product, Dried Aspergillus oryzae Fermentation Extract, Biotin, Diatomaceous Earth, Zinc Oxide, Copper Sulfate, Calcium Iodate.

**\*Note: Ingredients may differ slightly by manufacturing plant. Please refer to the tag for a current list of ingredients.**

**Available Options:**

Product No.	Package	Size Diameter
3003350-205	Bag40 #	1/8"
3005332-246	4 x 10-lb. case	1/8"

**Product Features:**

Added egg nutrition

Includes the Oyster Strong® system

16% protein, 3.50% calcium

**Product Benefits:**

Formulated to produce a large egg that contains 250 mg. Omega-3 fatty acids as compared to a traditional, store-bought large egg that contains 50 mg. of Omega-3 fatty acids

Large-particle calcium breaks down steadily so calcium is available during the entire egg formation process.

Maintains hen health and supports consistent egg production.

**IMPORTANT:**

This product is to be fed only to the animal species as directed on this label. Follow these management practices:

1. Follow sound management practices and disease and sanitation control measures
2. If any questions, contact your veterinarian or salesperson.
3. Contains a source of live naturally occurring microorganisms.
4. A feeding program is only as effective as the management practices.
5. Actual results can vary depending upon feed intake, environmental conditions and the quality of management practices.
6. Always provide shelter and a constant supply of fresh, clean water.

**CAUTION:**

Store in a dry, well-ventilated area protected from rodents and insects.  
Do not feed moldy or insect-infested feed to animals as it may cause illness, performance loss or death.

**KEY POINTS**

- Consumption will vary depending upon season of the year, nutritional needs of the animals and availability of other foods.